

**HEVERT DETOX**- arsenic trioxide, clematis recta flowering top, conium maculatum flowering top, lachesis muta venom, mercuric iodide, phytolacca americana root, toxicodendron pubescens shoot, scrophularia nodosa leaf with stem, sulfur, milk thistle, chelidonium majus root, taraxacum officinale, nitric acid, apis mellifera, atropa belladonna, lytta vesicatoria, juniper berry, solidago virgaurea flowering top, eichhornia crassipes whole, okoubaka aubrevillei bark, quassia amara wood, and taraxacum officinale

**Hevert Pharmaceuticals LLC**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **HEVERT DETOX KIT**

### **Drug Facts - Hevert® Detox Lymph**

<b>Active ingredients*</b>	<b>Purpose</b>
Arsenicum album 6X	†
Clematis 4X	†
Conium 6X	†
Lachesis 8X	†
Mercurius bijodatus 8X	†
Phytolacca 4X	†
Rhus toxicodendron 6X	†
Scrophularia nodosa, herba 3X	†
Sulfur 4X	†

\* "X" indicates a homeopathic dilution.

For more information visit: [www.hevertusa.com](http://www.hevertusa.com)

† Relief of discomfort associated with lymphatic swelling and edema

## **Uses<sup>1</sup>**

For temporary relief of discomfort associated with lymphatic swelling and edema.

<sup>1</sup> Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

## **Warnings**

Chronically enlarged lymph nodes can be the sign of different diseases. Therefore, consult a doctor in order to clarify the underlying disease before using this medicine. Also **consult a doctor promptly in case of** acute signs of inflammation (redness, heat, swelling, pain and dysfunction) and fever or enlargement of the lymph nodes during treatment.

## **Do not use if**

- you are allergic to Rhus toxicodendron (poison ivy) or other plants from the cashew family

**Stop use and ask a doctor** if you suffer from thyroid disease or symptoms persist for more than 7 days, worsen or new symptoms occur.

## **Additional Warnings**

see "**Drug Facts – All products**"

## Inactive ingredients

46% ethanol V/V, purified water

### **Drug Facts - Hevert® Detox Liver**

<b>Active ingredients*</b>	<b>Purpose</b>
Carduus marianus TM	†
Chelidonium majus, radix 3X	†
Taraxacum officinale 3X	<i>bloating</i>

\* "X" indicates a homeopathic dilution.

For more information visit: [www.hevertusa.com](http://www.hevertusa.com)

† pressure and pain in upper abdomen, constipation

## Uses<sup>2</sup>

For temporary relief of liver and gallbladder driven symptoms of indigestion, such as:

- bloating
- pressure and pain in upper abdomen
- constipation.

---

<sup>2</sup> Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

## Warnings

Gallstones, occlusion of the bile ducts, jaundice and any other unclear or persistent discomfort in the upper abdomen may be serious. **Consult a doctor promptly if** any of these symptoms occur.

### **Do not use if**

- you are allergic to Taraxacum, Carduus marianus or other plants from the daisy family (Compositae)
- you suffer from liver diseases

**Stop use and ask a doctor if** symptoms persist for more than 7 days, worsen or new symptoms occur.

## Additional Warnings

see "**Drug Facts – All products**"

## Inactive ingredients

57% ethanol V/V, purified water

### **Drug Facts - Hevert® Detox Kidney**

<b>Active ingredients*</b>	<b>Purpose</b>
Acidum nitricum 6X	†
Apis mellifica 3X	†
Belladonna 6X	†
Cantharis 4X	†
Juniperus communis 3X	†
Solidago virgaurea TM	†

\* "X" indicates a homeopathic dilution.

For more information visit: [www.hevertusa.com](http://www.hevertusa.com)

<sup>†</sup> pain relief in the urinary system

## Uses<sup>3</sup>

For temporary relief of pain and burning sensation associated with frequent or urgent need to urinate.

---

<sup>3</sup> Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

## Warnings

Blood in urine, fever, nausea, vomiting, pain in kidney area or acute urinary retention may be serious.  
**Consult a doctor promptly if** any of these symptoms occur

### Do not use if

- you are allergic to bee venom

**Stop use and ask a doctor if** symptoms persist for more than 5 days, worsen or new symptoms occur.

## Additional Warnings

see "**Drug Facts – All products**"

## Inactive ingredients

60% ethanol V/V, purified water

### **Drug Facts - Hevert® Detox Intestinum**

<b>Active ingredients*</b>	<b>Purpose</b>
Eichhornia 1X	<i>bloating, constipation</i>
Okoubaka 2X	<i>nausea</i>
Quassia amara TM	<i>bloating</i>
Taraxacum officinale 1X	<i>bloating, abdominal fullness</i>

\* "X" indicates a homeopathic dilution.

For more information visit: [www.hevertusa.com](http://www.hevertusa.com)

## Uses<sup>4</sup>

For temporary relief of symptoms of upset stomach and indigestion, such as:

bloating, abdominal fullness, nausea and constipation.

---

<sup>4</sup> Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

## Warnings

**Stop use and ask a doctor if** symptoms persist for more than 7 days, worsen or new symptoms occur.

## Additional Warnings

see "**Drug Facts – All products**"

## **Inactive ingredients**

60% ethanol V/V, purified water

## **Drug Facts - All products**

### **Warnings**

For oral use only.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of accidental overdose, seek professional assistance or contact a poison control center immediately.

### **Directions**

- Hevert Detox Liver:  
The liquid may be cloudy. Shake well before use.
- Adults and children over 12 years of age:  
Take 20 drops in water 3 times daily.
- Consult a physician for use in children under 12 years of age.
- Hevert Detox Lymph:  
Do not use for children under 1 year of age.

### **Other Information**

- Store at 68 to 77 °F
- **Tamper Evident:** Do not use if tamper evident strip is broken or missing from base of bottle cap.
- To report serious adverse events, call 1-855-387-6466.

### **Questions?**

1-855-387-6466

### **Distributed by:**

Hevert Pharmaceuticals, LLC  
Boulder, CO 80303

## **PRINCIPAL DISPLAY PANEL - Kit Carton**

NDC 54532-0030-9

**HEVERT®  
DETOX KIT  
LYMPH LIVER KIDNEY INTESTINUM**

### **VALUE PACK**

For the

- lymphatic system
- liver and gallbladder system
- kidneys and urinary system
- digestive system

Homeopathic Medicine

4 x 1.7 fl oz (4 x 50 ml)

Oral Drops

**hEVERT**

# HEVERT® DETOX KIT

LYMPH LIVER KIDNEY INTESTINUM

SN 0161/002

# HEVERT® DETOX KIT

LYMPH LIVER KIDNEY INTESTINUM

VALUE PACK

NDC54532-0030-9

For the

- lymphatic system
- liver and gallbladder system
- kidneys and urinary system
- digestive system

4 x 1.7 fl oz (4 x 50 ml)  
Oral Drops

HEVERT



Homeopathic Medicine

**About us:** "Back when our grandfather started the company in the 1950s, he never dreamed of how his products would touch the lives of so many people."

After his death, our grandmother carried on his promise of safe and effective healing with medicines made by nature. Our father kept the family's healing tradition alive and helped make Hevert one of Europe's most trusted names in natural medicine. And today, we keep the promise made by our grandparents more than 60 years ago to always share our family's gift with other families everywhere and keep their vision of a healthier, more natural world alive."

*Marcus and Mathias Hevert*



Drug Facts - Hevert® Detox Lymph	
<b>Active Ingredients<sup>1</sup></b>	<b>Purpose</b>
Arsenicum album 6X	
Clematis 4X	
Conium 6X	
Lachesis 8X	
Mercurius bijagotus 8X	
Phytolacca 4X	
Rhus toxicodendron 6X	
Sorghum vulgare nodosa, herba 3X	
Sulfur 4X	
<i>*Relief of discomfort associated with lymphatic swelling and edema</i>	
<b>Uses<sup>2</sup></b>	
For temporary relief of discomfort associated with lymphatic swelling and edema.	
<b>Warnings</b>	
Chronically enlarged lymph nodes can be the sign of different diseases. Therefore, consult a doctor in order to clarify the underlying disease before using this medication. Also consult a doctor in case of side effects.	


Drug Facts - Hevert® Detox Liver	
<b>Active Ingredients<sup>1</sup></b>	<b>Purpose</b>
Candida marianae TM	
Chelidonium majus, radix 3X	
Taraxacum officinale 3X	
<i>*blotting, pressure and pain in upper abdomen, constipation</i>	
<b>Uses<sup>2</sup></b>	
For temporary relief of liver and gallbladder driven symptoms of indigestion, such as:	
- blotting	
- pressure and pain in upper abdomen	
- constipation	
<b>Warnings</b>	
Blood in urine, fever, nausea, vomiting, pain in kidney area or acute gallbladder excretion of the bile	

Drug Facts - Hevert® Detox Kidney	
<b>Active Ingredients<sup>1</sup></b>	<b>Purpose</b>
Aldum nitricum 6X	
Apis mellifica 3X	
Belladonna 6X	
Cantharis 4X	
Juniperus communis 3X	
Soldago virgaurea TM	
<i>*pain relief in the urinary system</i>	
<b>Uses<sup>2</sup></b>	
For temporary relief of pain and burning sensation associated with frequent or urgent need to urinate.	
<b>Warnings</b>	
Blood in urine, fever, nausea, vomiting, pain in kidney area or acute gallbladder excretion of the bile	

# HEVERT® DETOX KIT

## Drug Facts - All products

<b>Warnings (continued)</b>
For oral use only. If pregnant or breast-feeding, ask a health professional before use.
<b>Keep out of reach of children.</b>
In case of aidental overdose, seek professional assistance or contact a poison control center immediately.
<b>Directions</b>
Hevert Detox Liver: The liquid may be cloudy. Shake well before use.
• Adults and children over 12 years of age: Take 20 drops in water 3 times daily.
• Consult a physician for use in children under 12 years of age.
Hevert Detox Lymph: Do not use for children under 1 year of age.



## HEVERT DETOX

arsenic trioxide, clematis recta flowering top, conium maculatum flowering top, lachesis muta venom, mercuric iodide, phytolacca americana root, toxicodendron pubescens shoot, scrophularia nodosa leaf with stem, sulfur, milk thistle, chelidonium majus root, taraxacum officinale, nitric acid, apis mellifera, atropa belladonna, lytta vesicatoria, juniper berry, solidago virgaurea flowering top, eichhornia crassipes whole, okoubaka aubrevillei bark, quassia amara wood, and taraxacum officinale kit

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:54532-0030
---------------------	----------------	---------------------------	----------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54532-0030-9	1 in 1 CARTON	09/15/2016	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	50 mL
Part 2	1 BOTTLE	50 mL
Part 3	1 BOTTLE	50 mL
Part 4	1 BOTTLE	50 mL

### Part 1 of 4

#### HEVERT DETOX LYMPH

arsenic trioxide, clematis recta flowering top, conium maculatum flowering top, lachesis muta venom, mercuric iodide, phytolacca americana root, toxicodendron pubescens shoot, scrophularia nodosa leaf with stem, and sulfur liquid

## Product Information

Item Code (Source)	NDC:54532-0034
--------------------	----------------

Route of Administration	ORAL
-------------------------	------

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Arsenic Trioxide</b> (UNII: S7V92P67HO) (Arsenic Cation (3+) - UNII:C96613F5AV)	Arsenic Trioxide	6 [hp_X] in 50 mL
<b>Clematis Recta Flowering top</b> (UNII: 396421SP9F) (Clematis Recta Flowering top - UNII:396421SP9F)	Clematis Recta Flowering top	4 [hp_X] in 50 mL
<b>Conium Maculatum Flowering Top</b> (UNII: Q28R5GF371) (Conium Maculatum Flowering Top - UNII:Q28R5GF371)	Conium Maculatum Flowering Top	6 [hp_X] in 50 mL
<b>Lachesis Muta Venom</b> (UNII: VSW71SS07I) (Lachesis Muta Venom - UNII:VSW71SS07I)	Lachesis Muta Venom	8 [hp_X] in 50 mL
<b>Mercuric Iodide</b> (UNII: R03O05RB0P) (Mercuric Iodide - UNII:R03O05RB0P)	Mercuric Iodide	8 [hp_X] in 50 mL
<b>Phytolacca Americana Root</b> (UNII: 11E6VI8VEG) (Phytolacca Americana Root - UNII:11E6VI8VEG)	Phytolacca Americana Root	4 [hp_X] in 50 mL
<b>Toxicodendron Pubescens shoot</b> (UNII: 46PYZ1F82M) (Toxicodendron Pubescens shoot - UNII:46PYZ1F82M)	Toxicodendron Pubescens shoot	6 [hp_X] in 50 mL
<b>Scrophularia Nodosa leaf with stem</b> (UNII: K93UPA2CNQ) (Scrophularia Nodosa leaf with stem - UNII:K93UPA2CNQ)	Scrophularia Nodosa leaf with stem	3 [hp_X] in 50 mL
<b>Sulfur</b> (UNII: 70FD1KFU70) (Sulfur - UNII:70FD1KFU70)	Sulfur	4 [hp_X] in 50 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>Alcohol</b> (UNII: 3K9958V90M)	
<b>Water</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54532-0034-5	50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED HOMEOPATHIC		06/15/2016	

## Part 2 of 4

### HEVERT DETOX LIVER

milk thistle, chelidonium majus root, and taraxacum officinale liquid

## Product Information

**Item Code (Source)** NDC:54532-0033

**Route of Administration** ORAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Milk Thistle</b> (UNII: U946SH95EE) (Milk Thistle - UNII:U946SH95EE)	Milk Thistle	1 [hp_X] in 50 mL
<b>Chelidonium majus root</b> (UNII: FLT36UCF0N) (Chelidonium majus root - UNII:FLT36UCF0N)	Chelidonium majus root	3 [hp_X] in 50 mL
<b>Taraxacum officinale</b> (UNII: 39981FM375) (Taraxacum officinale - UNII:39981FM375)	Taraxacum officinale	3 [hp_X] in 50 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>Alcohol</b> (UNII: 3K9958V90M)	
<b>Water</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54532-0033-5	50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED HOMEOPATHIC		06/15/2016	

## Part 3 of 4

### HEVERT DETOX KIDNEY

nitric acid, apis mellifera, atropa belladonna, lytta vesicatoria, juniper berry, and solidago virgaurea flowering top liquid

## Product Information

**Item Code (Source)** NDC:54532-0032

**Route of Administration** ORAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Nitric Acid</b> (UNII: 411VRN1TV4) (Nitric Acid - UNII:411VRN1TV4)	Nitric Acid	6 [hp_X] in 50 mL

<b>Apis Mellifera</b> (UNII: 7S82P3R43Z) (Apis Mellifera - UNII:7S82P3R43Z)	Apis Mellifera	3 [hp_X] in 50 mL
<b>Atropa Belladonna</b> (UNII: WQZ3G9PF0H) (Atropa Belladonna - UNII:WQZ3G9PF0H)	Atropa Belladonna	6 [hp_X] in 50 mL
<b>Lytta Vesicatoria</b> (UNII: 3Q034RO3BT) (Lytta Vesicatoria - UNII:3Q034RO3BT)	Lytta Vesicatoria	4 [hp_X] in 50 mL
<b>Juniper Berry</b> (UNII: O84B5194RL) (Juniper Berry - UNII:O84B5194RL)	Juniper Berry	3 [hp_X] in 50 mL
<b>Solidago Virgaurea Flowering Top</b> (UNII: 5405K23S50) (Solidago Virgaurea Flowering Top - UNII:5405K23S50)	Solidago Virgaurea Flowering Top	1 [hp_X] in 50 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>Alcohol</b> (UNII: 3K9958V90M)	
<b>Water</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54532-0032-5	50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED HOMEOPATHIC		06/15/2016	

## Part 4 of 4

### HEVERT DETOX INTESTINUM

eichhornia crassipes whole, okoubaka aubrevillei bark, quassia amara wood, and taraxacum officinale liquid

## Product Information

<b>Item Code (Source)</b>	NDC:54532-0031
<b>Route of Administration</b>	ORAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Eichhornia Crassipes Whole</b> (UNII: 216V7S21BH) (Eichhornia Crassipes Whole - UNII:216V7S21BH)	Eichhornia Crassipes Whole	1 [hp_X] in 50 mL
<b>Okoubaka aubrevillei bark</b> (UNII: MK2074187Z) (Okoubaka aubrevillei bark - UNII:MK2074187Z)	Okoubaka aubrevillei bark	2 [hp_X] in 50 mL
<b>QUASSIA AMARA WOOD</b> (UNII: S5249Q85HW) (QUASSIA AMARA WOOD - UNII:S5249Q85HW)	QUASSIA AMARA WOOD	1 [hp_X] in 50 mL
<b>TARAXACUM OFFICINALE</b> (UNII: 39981FM375) (TARAXACUM OFFICINALE - UNII:39981FM375)	TARAXACUM OFFICINALE	1 [hp_X] in 50 mL

## Inactive Ingredients

Ingredient Name	Strength
Alcohol (UNII: 3K9958V90M)	
Water (UNII: 059QF0KOOR)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54532-0031-5	50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED HOMEOPATHIC		06/15/2016	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved homeopathic		09/15/2016	

**Labeler** - Hevert Pharmaceuticals LLC (078647622)

**Registrant** - Hevert Arzneimittel GmbH & Co. KG (318100617)

## Establishment

Name	Address	ID/FEI	Business Operations
Hevert Arzneimittel GmbH & Co. KG		318100617	MANUFACTURE(54532-0030)

Revised: 8/2019

Hevert Pharmaceuticals LLC